



PECOL Ltd. since 1978 designs, builds and installs on board NBC dampers, anti shock, non magnetic, watertight up to an hydrostatic head of 1500 mm H₂O.

Now up to 6.000 mm H₂O

NBC dampers



1- PIVOTING NBC DAMPERS

2 - 2.000X 2.3000 mm NBC DAMPER

3- DOUBLE EFFECT CYLINDER – IP 68 LIMIT SWITCHES

4-NBC DAMPERS -PRODUCTION

B= 1.200 mm

5

H= 1.687 mm

B= 300 mm

H= 337 mm

B (mm)	H (mm)	Flaps number	Number holes flange	Number holes flange
			B	H
300	337	2	4	4
400	487	3	4	5
500	637	4	5	6
600	787	5	6	7
700	937	6	6	8
800	1.087	7	7	9
900	1.237	8	8	10
1.000	1.387	9	8	11
1.100	1.537	10	9	12
1.200	1.687	11	10	13

6




5- Standard NBC dampers main dimensions

6 – Special 2.000x 2.3000 mm SMOKEDAMPER



7



8



9



10

7- 6.000 mm H₂O wc tight NBC DAMPER

8- Graphic pages sample -

9- 9.000 mm H₂O wc pressure test- Step by step e/motor

10- 3 phases Asincronous e/motor